# DMSMS & STANDARDIZATION 2011





# TOMCAT

# A Framework to Assess Obsolescence Management Capability

Dr Francisco J. Romero Rojo Prof Rajkumar Roy Mr Stuart Kelly – MoD

August 30th, 2011

www.cranfield.ac.uk

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to completing and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding an DMB control number.	ion of information. Send comment arters Services, Directorate for Inf	ts regarding this burden estimate formation Operations and Reports	or any other aspect of the property of the contract of the con	nis collection of information, Highway, Suite 1204, Arlington				
1. REPORT DATE 30 AUG 2011		2. REPORT TYPE		3. DATES COVERED <b>00-00-2011 to 00-00-2011</b>					
4. TITLE AND SUBTITLE				5a. CONTRACT	NUMBER				
<b>TOMCAT A Framework to Assess Obsolescence Management Capability</b>					5b. GRANT NUMBER				
					5c. PROGRAM ELEMENT NUMBER				
6. AUTHOR(S)					5d. PROJECT NUMBER				
					5e. TASK NUMBER				
					5f. WORK UNIT NUMBER				
	ZATION NAME(S) AND AE  ty,Decision Enginee	8. PERFORMING ORGANIZATION REPORT NUMBER							
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)					10. SPONSOR/MONITOR'S ACRONYM(S)				
					11. SPONSOR/MONITOR'S REPORT NUMBER(S)				
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release; distributi	ion unlimited							
13. SUPPLEMENTARY NO <b>Presented to: DMS</b>	otes SMS and Standardiz	ation Conference,	Hollywood, FL Au	ıgust 29- Sep	t 01 2011				
14. ABSTRACT									
15. SUBJECT TERMS									
16. SECURITY CLASSIFIC	CATION OF:	17. LIMITATION OF	18. NUMBER	19a. NAME OF					
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	OF PAGES 19	RESPONSIBLE PERSON				

**Report Documentation Page** 

Form Approved OMB No. 0704-0188


#### Overview



- Introduction
- TOMCAT Development
- Capability Metrics
- TOMCAT Validation
- Concluding Remarks



## Shifting the Risk



As the UK Ministry of Defence (MoD) moves across the Support Options Matrix away from the Traditional Support Solutions contracts to Availability / Capability contracts (Performance-Based Logistics), it is essential that MoD has confidence in Industry's capability to manage the risk of obsolescence.

## Obsolescence Management Capability Assessment





If the MoD can measure OM capability, they will:

- Be able to improve OM capability across the supply chain.
- Be able to report on the status of an OM strategy.
- Provide incentives for a contractor.
- Ensure the risk is placed in the right place.

How can we do this consistently across Defence?

#### **TOMCAT**

Total Obsolescence Management Capability Assessment Tool

#### Collaborators





#### **Project Sponsored by UK Ministry of Defence**





#### **Industrial Collaborators**

- ➤ BAE Systems
- > Selex Galileo
- ➤ General Dynamics
- Component Obsolescence Group (COG)
- ➤ Joint Obsolescence Management Working Group (JOMWG)

### BAE SYSTEMS





**GENERAL DYNAMICS** 

## TOMCAT Development





#### Aim

To develop a set of metrics for the MoD which will allow them to measure the current capability in obsolescence management of the contractors

#### Development


- Developed over two years at Cranfield University
- 3.5 man years of effort
- Phases:
  - MSc group project
  - Commercial development
  - Knowledge Transfer project for professional tool development
- Extensive data collection from the major stakeholders within both MoD and Industry (semi-structured interviews, workshops and document analysis)

## Capability Metrics Development





Data collection from Industry and MoD




Classification in terms of Importance, Impact and Feasibility

## Capability Metrics Development







## Capability Metrics Development





How is the impact of change to legislation assessed and actioned as part of the risk assessment process? [10%]

How often is the risk assessment, formally revalidated? [20%]

How is the process to ensure the accuracy of data for the risk assessment defined? [10%]

How is the risk assessment conducted to identify and implement mitigation processes for the obsolescence risk? [40%]

RISK ASSESSMENT

How are decisions from the obsolescence risk assessments, obsolescence approach selections and the derived mitigation actions recorded on an appropriate OM risk register? [20%]

#### Metrics selection








#### TOMCAT Assessment Model











## **TOMCAT**





Obsolescence Metrics [Version.1.1]

T	M	M		60
U	V	UVU		




	Section 1 Obsolescence Management Governance					
1	How has the MOD defined the appropriate requirements / contractual conditions in order to proactively manage the obsolescence risk?	70	•		•	☐ Not Applicable
2	How has Obsolescence Management been considered as part of the organisational strategy for the project?	100	•		<b> </b>	☐ Not Applicable
3	What evidence is there of an individual who has the delegated responsibility for managing the obsolescence risk to this project?	0	<b>+</b>		· · ·	✓ Not Applicable
	Section 2 Supplier					
1	What arrangements are in place, with Supplier(s), to ensure that the obsolescence risk to the project is managed effectively?	60	•		F	✓ Not Applicable
2	How are the payment arrangements defined for the obsolescence mitigations and resolutions that are identified by Supplier(s)?	20	<b>←</b>		F	□ Not Applicable
3	How has Obsolescence Management capability been considered as a factor for Supplier evaluation?	90	•		+	☑ Not Applicable
	Section 3 Design for Obsolescence					
1	How has obsolescence risk been incorporated within design procedures and processes?	80	•		+	☐ Not Applicable
2	To what extent is modularisation / technology transparency applied in the system? (If so, to what indenture level?)	50	•		þ.	□Not Applicable
3	How has component end of life cycle been considered as part of the design process?	90	•		<b>+</b>	☐ Not Applicable
4	What level of understanding does the Design Team-Leader have of obsolescence and its impact?	20	4		+	□ Not Applicable
	Section 4 Risk Assessment					
1	How is the risk assessment conducted to identify and implement mitigation processes for the obsolescence risk?	0	4		F	☐ Not Applicable
2	How are decisions from the obsolescence risk assessments, obsolescence approach selections and the derived mitigation actions recorded on an appropriate OM risk register?	100	•			✓ Not Applicable
				wwu	u.cran	field.ac.uk


## TOMCAT


Total











#### Validation



The TOMCAT tool has been subjected to rigorous Industry scrutiny through a number of means:

- JOMWG meetings
- TOMCAT workshops
- Piloting sessions with:
  - Selex Galileo
  - General Dynamics
  - Typhoon Radar Project (BAE Systems)

#### Validation



The piloting sessions enabled enhancing the TOMCAT:

- Refining the metrics (eg. use of open-ended questions)
- Refine weighting for metrics
- Assessment range: [0 100] (rather than yes/no answers)
- Assess contract stakeholders rather than organisation
- Identify supporting documentation required (evidences)
- Generate supplementary questions for each metric
- Identifying non-applicable metrics / supplementary questions
- Enabling self-assessment
- Web-based application

## Concluding Remarks





- In the transition towards Availability / Capability contracts (Performance-Based Logistics), the MoD requires to have confidence in Industry's capability to manage the risk of obsolescence.
- The TOMCAT tool provides a way to assess the contractor's capability for each particular project.
- The systematic use of TOMCAT across defence will allow:
  - Improving OM capability across the supply chain.
  - Reporting on the status of an OM strategy.
  - Providing incentives for a contractor.
  - Ensuring the risk is placed in the right place.





# Thank you! Questions?

For further information please contact:

f.romerorojo@cranfield.ac.uk

r.roy@cranfield.ac.uk

Tel: +44 (0) 1234 750111

**Decision Engineering Centre** 

**Cranfield University, UK**